8439354/2024/VIG-VI-PRR01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public services - Departmental Proceedings against R. Sanyasi Rao , the then Asst. Engineer, RWS&S Sub-Division, Vizianagaram and now working as Assistant Engineer, RWS&S Sub-Division, L.Kota, Kothavalasa Section under the provisions of Rule 20 of AP Civil Services(CCA) Rules, 1991 - Articles of Charge – Issued

---

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.VI) DEPARTMENT

G.O.Rt.No.56

Dated: 18/01/2024
Read the following:-

1. From the Director General, G.A.(V&E) Department, Vigilance Report No.21 (C.No.1096/V&E/ENGG/2018), dated 19.07.2022.
2. G.O. Rt. No.54 , PR&RD(VIG.VI) Dept, dt: 18.01.2024.

*****

ORDER:-

It is proposed to hold an inquiry against Sri R. Sanyasi Rao, the then Assistant Engineer, RWS&S Sub-Division, Vizianagaram and now working as Assistant Engineer, RWS&S Sub-Division, L.Kota, Kothavalasa Section in accordance with the procedure laid down in Rule 20 of the APCS (CCA) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charge (Annexure-I). A statement of the imputations of misconduct or misbehaviour in support of each article of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure-III and IV).

3. Sri R. Sanyasi Rao, the then Assistant Engineer, RWS&S Sub-Division, Vizianagaram and now working as Assistant Engineer, RWS&S Sub-Division, L.Kota, Kothavalasa Section is directed to submit within 10 days of the receipt of this Memorandum a written statement of his defence.

4. He is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore specifically admit or deny each article of charge.

5. Sri R. Sanyasi Rao, the then Assistant Engineer, RWS&S Sub-Division Vizianagaram and now working as Assistant Engineer, RWS&S Sub-Division, L.Kota, Kothavalasa Section is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above, or does not appear in person before the inquiring authority or otherwise fails or refuses to comply with the provisions of Rules 20 of the APCivil Services (CCA) Rules, 1991, or the orders/directions issued in pursuance of the said rules, the inquiring authority may hold the inquiry against him exparte, based on the material available on record.

6. Attention of Sri R. Sanyasi Rao , the then Assistant Engineer, RWS&S Sub-Division, Vizianagaram and now working as Assistant Engineer, RWS&S

(Contd.P-2)

Sub-Division, L.Kota, Kothavalasa Section is invited to Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interests in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from any person in respect of any matter dealt within these Proceedings, it will be presumed that Sri R. Sanyasi Rao , the then Assistant Engineer, RWS&S Sub-Division, Vizianagaram and now working as Assistant Engineer, RWS&S Sub-Division, L.Kota, Kothavalasa Section is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964.

7. The receipt of the proceedings shall be acknowledged along with Annexure-I, II, III & IV.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

B RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri R. Sanyasi Rao , the then Assistant Engineer, RWS&S Sub-Division, Vizianagaram and now working as Assistant Engineer, RWS&S Sub-Division, L.Kota, Kothavalasa Section (we) through Engineer-In-Chief, RWS&S, Vijayawada.
The Engineer-in-Chief, Rural Water Supply & Sanitation, Vijayawada (in duplicate with a request to obtain and furnish the dated acknowledgment of the orders)

Copy to:
The Secretary, APVC, Secretariat Building-5, Velagapudi.
The Director General, GA(V&E) Department.
The Panchayat Raj & Rural Development (Estt.II)Department.
SF/SC.

//FORWARDED :: BY ORDER//

SECTION OFFICER

(Contd.P-2)

ANNEXURE-I

STATEMENT SHOWING THE ARTICLE OF CHARGE FRAMED AGAINST R. SANYASI RAO, THE THEN ASST. ENGINEER, RWS&S SUB-DIVISION, VIZIANAGARAM AND NOW WORKING AS ASST. ENGINEER, RWS&S SUB- DIVISION, L.KOTA, KOTHAVALASA SECTION

That Sri R.Sanyasi Rao, the then Assistant Engineer, RWS&S SD, Vizianagaram now working as Assistant Engineer, RWS&S, L.Kota, Kothavalasa section has derelicted his duties by splitting up the works in Sarika Village, of Vizianagaram District and prepared Estimates for (5) Pipe Line Works and submitted for Technical Sanction without obtaining Administrative Sanction thereby he violated Para 173 of Andhra Pradesh Public Work Department Code and instructions issued by the Government vide G.O.Ms.No.124, PR&RD (Progs.1), dt:25.8.2014.

B RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER

(Contd.P-3)

ANNEXURE – II

STATEMENT OF THE IMPUTATION OF MISCONDUCT OR MISBHAVIOUR IN SUPPORT OF EACH ARTICLE OF CHARGE FRAMED AGAINST R. SANYASI RAO , THE THEN ASST. ENGINEER, RWS&S SUB-DIVISION, VIZIANAGARAM AND NOW WORKING AS ASST. ENGINEER, RWS&S SUB- DIVISION, L.KOTA, KOTHAVALASA SECTION

The Director General (V&E) has submitted a detailed Enquiry report to Government on the allegations of Misappropriation of Government funds in providing drinking water facilities to Sarika Village in Vizianagaram District. In his Inquiry report the Director General stated that Sri R. Sanyasi Rao, the then Assistant Engineer, RWS&S Sub-Division, Vizianagaram and now working as Assistant Engineer, RWS&S Sub-Division, L.Kota, Kothavalasa Section has derilicted his Legitimate Duties by preparing the following Estimates for (5) Pipe Line Works in Sarika Village, Vizianagaram and submitting them for according Technical Sanction without obtaining Administrative Sanction.

The then Assistant Engineer, RWS&SD, Vizianagaram and now working as Assistant Engineer, RWS&S sub-division, L.kota, kothavalasa section has prepared five estimates for one resolution passed by Sarika Gram Panchavat by sub dividing the resolution as proceedings in violation of the instructions issued vide G.O.Ms No.124, PR&RD (Progs.1), dt:25.8.2014 and also in violation of Para 173 of A.P.P.W.D code wherein it was stated that "it is a fundamental rule that no work shall be begin unless a properly detailed design and estimate have been sanctioned, allotment of funds made and orders to begin issued by the competent authority. Sri R. Sanyasi Rao , the then Assistant Engineer has failed to obtain the Administrative sanction and executed the work. From this it is evident that he failed to follow the Departmental procedure and integrity and has shown gross negligence while discharging duties and violated Rule 3 of A.P.C.S (Conduct) Rules, 1964.

B RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER

(Contd.P-4)

ANNEXURE – III

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGE FRAMED AGAINST R. SANYASI RAO , THE THEN ASST. ENGINEER, RWS&S SUB- DIVISION, VIZIANAGARAM AND NOW WORKING AS ASST. ENGINEER, RWS&S SUB-DIVISION, L.KOTA, KOTHAVALASA SECTION ARE PROPOSED TO BE SUSTAINED

1. The Director General, (Vig & Enft), General Administration (Vigilance & Enforcement) Department, Vigilance Report No. 21(C.No.1096/V&E /Engg/2018) Dt: 19.07.2022.

B RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE – IV

LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGE FRAMED AGAINST R. SANYASI RAO , THE THEN ASST. ENGINEER, RWS&S SUB- DIVISION, VIZIANAGARAM AND NOW WORKING AS ASST. ENGINEER, RWS&S SUB-DIVISION, L.KOTA, KOTHAVALASA SECTION ARE PROPOSED TO BE SUSTAINED

-NIL-

B RAJSEKHAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT

SECTION OFFICER